ACCREDIA
PRD N° 0230 B
Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual Recognition Agreements

RICOTEST
Notified Body 0498

EU Type Examination Certificate

Date: 2019/06/11 | *n.* **750192403/OE** | Validity: 2024/06/10

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	**POLARIS INDUSTRIES INC** 2100 Highway 55 Medina, MN 55340-9800 – USA
Type of PPE:	**Protective garments for motorcycle riders: jacket**
Category of PPE:	**II**: "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model	**"WOMEN'S LIGHTWEIGHT MESH 2 JACKET"** code **2860503 –** col. black/ecru/red

Description:

Front side:

Back side:

external side:
- black perforated mesh declared 100% PES "SET-1377, 380G" with two layers of this material on both shoulder areas;
- black cordura fabric declared 100% PES "600D POLY CORDURA PU 2 TIMES COATED";
- ecru-coloured (col. code 12-0815 TPX) cordura fabric declared 100% PES "600D POLY CORDURA PU 2 TIMES COATED";
- red cordura fabric declared 100% PES "600D POLY CORDURA PU 2 TIMES COATED RED 19-1656 TPX";
- black fabric declared "91% NYLON/9% SPANDEX" (CH7070-P2T);

internal side:
- black perforated textile declared 100% PES "AIRMESH 5X1 LINING";
- black leather;
- red label marked "QUALITY CLOTHING INDIAN MOTORCYCLE ESTABLISHED 1901";
- burgundy textile marked "INDIAN MOTORCYCLE";
- black fabric declared 100% COTTON "21'S COTTON TWILL";

mid-layer: black perforated textile declared 100% PES "DM MESH 100% POLY 150D/48F, 380G/YD";

removable lining:
- black textile with membrane declared 100% PES "75D DEWSPO LAMI 3K/3K";
- declared 100% black nylon "190T N/TAFFETA 5000MM COATED";

main fastening: by means of a metallic zipper and black metallic button in contact with the user;

sleeve and wrist closure: by means of two black metallic buttons in contact with the user;

external pockets: black fabric declared 100% NYLON "190T TAFFETA 1000MM COATED";

internal pockets:
- black perforated textile declared 100% PES "AIRMESH 5X1 LINING";
- black fabric declared 100% NYLON "190T TAFFETA 1000MM COATED";

back protectors pocket: black perforated textile declared 100% PES "AIRMESH 5X1 LINING";

shoulder and elbow protectors pocket:
- black fabric declared 100% COTTON "21'S COTTON TWILL";
- black perforated textile declared 100% PES "AIRMESH 5X1 LINING".

RICOTEST Via Tione, 9 - 37010 Pastrengo (VR) tel: +39 045 7170088 fax: +39 045 7110014 email: ce@ricotest.com P.I. 01491930234

EU Type Examination Certificate

Date: 2019/06/11 | *n.* **750192403/OE** | Validity: 2024/06/10

	CE Certified protectors (according to either EN 1621-1:2012 or EN 1621-2:2014) to be inserted into the garment: shoulder and elbow protector: art. "**SC-1/KA**" (by SAS-TEC); back protector (OPTIONAL): art. "**PART 106**" (by PLANET KNOX LIMITED).
Technical Standard:	**EN ISO 13688:2013** Protective clothing – general requirements **FprEN 17092-4 (version 2019/03) = FprEN 17092-4:2018** Protective garments for motorcycle riders – Part 4: Class A garments – Requirements
Intended use:	Motorcycling: preventive use – correct fitting and positioning of the inner protections are essential.
Size range:	*Women's sizes*: from XS to 3XL.
Technical File:	**DC-10650**
Test report:	**RCT n° 3748091/E**
Protective functions:	The garment offers limited protection against mechanical risks arising from impact and abrasion in case of a fall while participating in motorcycling activities. Certified incorporated impact protectors provide strengthened protection.
Typical test results obtained: (see also Test Report)	This PPE item has reached the following performance: **Class A (*) =** the third highest level of protection. EN 17092-4 garments are expected to have the least ergonomic and weight penalties. Protective function is linked to the correct fit of the garment – also the inner impact protectors must be kept in their place: this falls within the responsibility of the user. **(*) =** The applied Technical Draft document currently provides different levels of protection for garments including protectors/shells: from class AAA (highest level of performance) to class AA (medium level) to class A (lower level); - class B for garments not including protectors / shells = just abrasion protection; - class C for Impact protector ensemble garments.
Marking:	printed on stitched labels and displaying the following information: - **CE Marking;** - name, trademark and address of the Manufacturer; - item designation (article name and code) + composition materials; - pictogram to indicate the intended use (motorcycling) + nr./year of the Technical Draft of reference + indication of the class of protection achieved; - pictogram "i in the booklet" instructing to read the User Manual; - care label instructions; - size indication; - information about the protectors installed into the garment: on a hangtag attached to the User Manual.

RICOTEST Via Tione, 9 - 37010 Pastrengo (VR) tel: +39 045 7170088 fax: +39 045 7110014 email: ce@ricotest.com P.I. 01491930234

EU Type Examination Certificate

Date: 2019/06/11 | *n.* **750192403/OE** | Validity: 2024/06/10

Model identification label:

Brand and size label:

Model identification label:

Front side:

Back side:

NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.
The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

RICOTEST Via Tione, 9 - 37010 Pastrengo (VR) tel: +39 045 7170088 fax: +39 045 7110014 email: ce@ricotest.com P.I. 01491930234